


ADVANCED TECHNOLOGY

THAT DELIVERS SUPERIOR

PERFORMANCE WITH

LESS CLEAN AGENT







ECARO-25 DELIVERS THE BEST FOR LESS

You don't have to spend a fortune to enjoy the exceptional benefits of a superior Clean Agent System. **ECARO-25** protects your people, your assets, your business continuity... and your bottom line.

- Zero ozone depleting potential (ODP)
- Electrically non-conductive
- · Leaves no residue
- No overpressurization concerns
- Environmentally safe
- Colorless and odorless
- For use in occupied and unoccupied spaces

ECARO-25 PROVIDES OPTIMUM FIRE AND DAMAGE PROTECTION FOR THE FOLLOWING CRITICAL ASSETS:

Mission Critical Facilities

- IT systems / software
- Telecommunication centers
- IT modular facilities

Healthcare Industry

- Clinical equipment
- Operating rooms
- Testing / imaging equipment

Industrial/Manufacturing

- Chemical laboratories
- Clean rooms
- Compressor / pumping stations
- Control rooms
- · Flammable liquid storage
- · Hazardous manufacturing
- · Oil collection stations
- · Paint mixing rooms
- Printing plants
- Robotic equipment
- Textile manufacturing

Irreplaceables

- Art / artifacts / historical collections
- · Records and data archives
- Reference material

Professional Services Firms

- Computer rooms
- Electric utility facilities
- Media storage
- Power supply facilities
- Switchgears
- Transformer vaults

Transportation

- Airport field lighting controls
- Flight simulators
- Military vehicles
- Traffic control








ECARO-25 SUPERIOR CLEAN AGENT FIRE SUPPRESSION

ECARO-25 features the unique fire extinguishing agent FE-25™ by DuPont™, which absorbs heat energy at its molecular level faster than the heat can be generated, so the fire cannot sustain itself. FE-25 also forms free radicals to chemically interfere with the chain reaction of the combustion process.

Simply said, **ECARO-25** is the best way to suppress fires and protect your high-value assets and business continuity.

All clean agents must remain in the protected space for a specified period of time in order to extinguish a fire. Thanks to the unique physical properties of the **ECARO-25** agent, the hold time in a 5000 cubic foot enclosure is 27 minutes, compared to a 12 minute hold time for an HFC-227ea system and a 10 minute hold time for a FK-5-1-12 system. **ECARO-25** offers a far superior hold time, allowing more time for trained personnel response and minimal chance for any fire re-ignition.

In addition, **ECARO-25** requires 10% less agent per cubic foot/meter than HFC-227ea systems and 37% less clean agent per cubic foot/meter than FK-5-1-12.




The superior properties of our unique system allow you to utilize small diameter piping over long distances, making it easier and less expensive to design your clean agent pipe network. With **ECARO-25**, you spend less money on the agent, piping and installation ... making it the most cost-effective clean agent fire suppression system available today.

THE EASIEST REPLACEMENT FOR HALON 1301

Due to the physical properties of FE-25 and the superior performance of the Impulse Valve Technology, **ECARO-25** can often work with your existing Halon pipe network. With **ECARO-25**, you can easily transform your old Halon 1301 fire suppression system into an effective, environmentally-sound clean agent system, with minimal system modifications.

ECARO-25 is the easiest and most cost effective replacement for existing Halon 1301 fire protection systems.



IMPULSE VALVE TECHNOLOGY

A clean agent fire suppression valve controls the pressure within the container and the efficiency with which the system discharges. The Fike Impulse Valve greatly improves the performance of clean agent fire suppression systems over mechanical valve systems by combining the reliability and efficiency of a rupture disc and the flexibility of electric actuation.

Technology combines the highest standards for performance with simplified operation and maintenance.

- Easier/less expensive to ship
- · Capability to manually activate
- Replacement is easy and less expensive
- Resettable actuation device
- Easier filling
- Easy field testing capability
- Simplified service
- UL Listed and FM Approved





The simplicity of the valve means fewer parts to maintain and greater reliability.

As a result of Fike's advanced rupture disc technology, there is less pressure loss.

That efficiency translates into a fire protection system with longer pipe run capability and flexible installation options.

Interest in the reliability and efficiency of action.

ILECTINOLOGICAL ADVANT/AGES

Impulse Technology features Fike's exclusive AXIUS® rupture disc.

The AXIUS is the most advanced rupture disc available, surpassing all others in its class. Designed and manufactured using Fike's G2 proprietary technology, the AXIUS is a reverse-acting disc with the highest in rupture disc reliability.

The Impulse Valve can be configured to operate in multiple ways – electric, pneumatic or a combination of both. The Impulse Valve is capable of firing up to 6 cylinders on a single releasing circuit – making systems with this advanced actuation more cost-effective to design and install.

VERSATILE, EFFICIENT, COST-EFFECTIVE ... IMPULSE



WE'RE PROUD OF OUR RESUME

EXPERIENCED: We've worked in the fire protection business since 1960.

FOCUSED: We specialize in Life Safety Products, as well as Facility and Asset **Protection Products.**

VERSATILE: We design, manufacture, distribute and maintain our products.

GLOBAL: We have clients, manufacturing facilities, sales outlets and maintenance companies around the world.

INNOVATIVE: In 1994, we became the first manufacturer to bring a **UL Listed and FM Approved, clean agent** fire suppression system to market, replacing Halon.

EARTH-FRIENDLY: We pioneered the development of clean agent systems and we continue to develop other environmentally safe alternatives such as our superior inert gas system.

COMPREHENSIVE: Fike has a worldwide network of experienced distributors each with a staff of factory trained technicians to meet your installation and service requirements.



WWW,FIKE.COM



FIKE GLOBAL MANUFACTURING, SALES AND SERVICE

AMERICAS

FIKE CORPORATION

Blue Springs, MO, USA Tel: +1-816-229-3405 Email: fpssales@fike.com

FIKE LATINA LTD (MERCOSUR)

Jundiai, Brazil Tel: +55-11-4525-5900 Email: vendas@fike.com.br

CARIBBEAN, CENTRAL, SOUTH AMERICA

Houston, TX , USA Tel: +1-281-895-0759 Email: ccsasales@fike.com

FIKE ASIA PACIFIC SDN BHD

Selangor Darul Ehsan, Malaysia Tel: +60-3-7859-1462 Email: fikeap@fike.com

EUROPE

FIKE PROTECTION SYSTEMS, LTD.

Guildford, Surrey United Kingdom Tel: +44-01-483-457-584 Email: sales.uk@fike.com

MIDDLE EAST

FIKE CORPORATION DUBAI Dubai, UAE Tel: +971 4 (0) 3866455 Email: fike.dubai@fike.com



E-mail: fpssales@fike.com

Fike and Fike Corporation, AXIUS, ECARO-25 and Impulse Technology are trademarks or registered trademarks of Fike Corporation. DuPont, FM-200 and FE-25 are trademarks or registered trademarks of E.I. DuPont de Nemours and Company.

US and foreign patents and patents pending.

©Copyright 2012, Fike Corporation. All rights reserved. Form No. B9091 0312 Printed in the U.S.A.